Printing date 03/05/2020

Version number 1

Reviewed on 03/05/2020

1 Identification

- · Product identifier
 - · Trade name: Jowapur 150.95
 - Application of the substance / the mixture Dispersion glue Adhesives
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:

Jowat Corporation 6058 Lois Lane Archdale, NC 27263 Phone: 336-434-9000 Fax: 336-434-9019 info@jowat.com

· Department issuing SDS:

Environmental management

Tel. +49 5231 749 -218 / -211 / -5460 / -5374

e-mail: umweltmanagement@jowat.de

· Information provided by department:

Jowat Corporation 5608 Uwharrie Rd. Archdale, NC 27263 P.O.Box 1368

High Point, NC 27261 Tel.: +1 336 434-9000 Fax: +1 336 434-9019 E-Mail: info@jowat.com

· Emergency telephone number: 1 800 424 9300 (Chemtrec 24 hours service)

2 Hazard(s) identification

· Classification of the substance or mixture



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
 - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Toluene diisocyanate dimer

· Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

Printing date 03/05/2020

Version number 1

Reviewed on 03/05/2020

Trade name: Jowapur 150.95

(Contd. of page 1)

P280 Wear protective gloves.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Classification system

· NFPA ratings (scale 0-4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS ratings (scale 0-4)



Health = 0 Flammability = 0 Reactivity = 0

- · Other hazards
 - · Results of PBT and vPvB assessment
 - · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
 - · Description:

aqueous polymer emulsion

Polyurethane resin

- Dangeroi	us components:	
26747-90-0	Toluene diisocyanate dimer	1-<2.5%
55965-84-9	mixture of methylchloroisothiazolinone and methylisothiazolinone	<0.5%

· Additional information

In case any risk phrases are listed, please refer to paragraph 16 for the exact wording.

4 First-aid measures

- Description of first aid measures
 - · General information Immediately remove any clothing soiled by the product.
 - · After inhalation

Supply fresh air and call in physician to be on the safe side.

In case of unconsciousness place patient in stable side position for transportation.

- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing If symptoms persist consult physician.
- · Information for physician
 - · Most important symptoms and effects, both acute and delayed Allergic reactions
 - · Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

Printing date 03/05/2020

Version number 1

Reviewed on 03/05/2020

Trade name: Jowapur 150.95

(Contd. of page 2)

5 Fire-fighting measures

· Extinguishing media

Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· Advice for firefighters

· Protective equipment: Do not inhale explosion gases or combustion gases.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective clothing.

· Environmental precautions:

Do not allow product to reach sewer system or open water.

Prevent from spreading (e.g. by damming-in or oil barriers).

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, general-purpose binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling

Store in cool, dry place in tightly closed containers.

Provide good ventilation/extraction system in the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by storage facilities and containers:

Prevent any seepage into the ground.

Information concerning mixed product storage facilities: Not required.

· Further information on storage conditions:

Protect from frost.

Keep container tightly sealed.

· Storage class 12

· Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 03/05/2020

Version number 1

Reviewed on 03/05/2020

Trade name: Jowapur 150.95

(Contd. of page 3)

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring in the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information:

The lists that were valid at the date of compilation of this SDS were used as basis.

Exposure controls

Personal protective equipment

- General protection and hygiene precautions

The standard precautionary measures for handling chemicals should be observed.

Keep away from food, beverages and animal feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Do not eat or drink while working.

· Breathing equipment:

Has to be worn only if no adequate extraction system is operating when sprayed.

Filter A/P2

Not necessary if room is well-ventilated.

- · Protection of hands: Impervious gloves
 - · Material of gloves Plastic gloves
 - · Penetration time of glove material

Please contact the glove manufacturer for the exact time of penetration/resistance level and observe this limit.

In case of permanent contact in work areas where the risk of injury is low (e.g. labs) gloves made of the following material are suitable:

Plastic gloves

- In case of permanent contact, gloves made of the following materials are suitable: Plastic gloves
- · The following materials are unsuitable for gloves:

Leather gloves

Strong gloves

· Eye protection: Goggles recommended during refilling an spraying.

9 Physical and chemical properties

· Information on basic physical and chemical properties

- · General Information
 - · Appearance:

· Form:

Fluid Blue

· Color:

Characteristic

· Odor threshold:

Not determined.

· pH-value:

Not determined.

· Change in condition

· Melting point/Melting range:

undetermined

· Boiling point/Boiling range:

100 °C (212 °F)

Printing date 03/05/2020

Version number 1

Reviewed on 03/05/2020

Trade name: Jowapur 150.95

(Contd. of page 4)

	(Conta. or page 4)
· Flash point:	Not applicable
· Flammability (solid, gaseous)	Not applicable.
· Ignition temperature:	>550 °C (>1,022 °F)
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: · Lower: · Upper:	Not determined. Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.1 g/cm³ (9.18 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with · Water:	Fully miscible
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity: · dynamic: · kinematic:	Not determined. Not determined.
· Solvent content: · Organic solvents:	0.8 %
· VOC - Volatile Organic Compounds	42.7 % o further relevant information available.
 European Union Switzerland U.S.A (less water and less exempts) 	0.74 % 0.71 % 0.6 g/l / 0.00 lb/gal

10 Stability and reactivity

- · Reactivity No further relevant information available.
 - · Chemical stability
 - Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 6)

Printing date 03/05/2020

Version number 1

Reviewed on 03/05/2020

Trade name: Jowapur 150.95

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
 - · Acute toxicity:

· LD/LC	· LD/LC50 values that are relevant for classification:					
26747-90-	26747-90-0 Toluene diisocyanate dimer					
Oral	LD50 oral	5,500 mg/kg (rat)				
Dermal	LD50 dermal	5,500 mg/kg (rat)				
Inhalative	LC50 / 4 h	236.5 mg/l (rat)				
55965-84-	55965-84-9 mixture of methylchloroisothlazolinone and methylisothlazolinone					
Oral	LD50 oral	67 mg/kg (rat)				

- · Primary irritant effect:
 - · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations (Directive 1999/45/EC of the European Parliament and of the Council) as issued in the latest version:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:				
26747-90-0 Toluene diisocyanate dimer				
LC50 / 96 h 100 mg/l (orfe (ide))				
EC50 / 48 h 100 mg/l (water flea)				
EC50 / 3 h 100 mg/l (activated sludge)				
EC50 / 72 h 100 mg/l (green algae)				
55965-84-9 mixture of methylchloroisothiazolinone and methylisothiazolinone				
LC50 / 96 h 0.32 mg/l (bluegill sunfish)				
0.22 mg/l (rainbow trout)				
EC50 / 48 h 0.12 mg/l (water flea)				
EC50 / 3 h 7.92 mg/l (activated sludge)				
EC50 0.043 mg/l (n.a.)				
EC50 / 72 h 0.048 mg/l (green microalgae) (SPO12089)				
NOEC 0.035 mg/l (water flea)				

(Contd. on page 7)

Printing date 03/05/2020

Version number 1

Reviewed on 03/05/2020

Trade name: Jowapur 150.95

(Contd. of page 6)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- · Ecotoxical effects:

· Behavior in sewer plants:

55965-84-9 mixture of methylchloroisothiazolinone and methylisothiazolinone

EC20 / 0,5 h 0.97 mg/l (activated sludge)

· Additional ecological information:

· General remarks:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewer system.

Hand over to hazardous waste disposers.

· Uncleaned containers/packaging materials:

· Recommendation:

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

Packaging can be reused or recycled after cleaning.

Empty contaminated packaging thoroughly. They can be recycled after thorough and proper cleaning.

Packaging with cured adhesive residues can be recycled.

Packaging with cured adhesive residues can be treated as household waste.

· Recommended cleaning agent: Water, if necessary with cleaning agents.

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void	
· UN proper shipping name	M. S.I	
· DOT, ADN, IMDG, IATA	Void	
· ADR	Void	
	Void	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group	M-i-l	
DOT, ADR, IMDG, IATA	Void	

Printing date 03/05/2020

Version number 1

Reviewed on 03/05/2020

Trade name: Jowapur 150.95

(Contd. of page 7)

· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	Void	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· SARA Section 355 (extremely hazardous substances)

None of the ingredients is listed.

 · SARA Section 313 (specific toxic chemical listings)

None of the ingredients is listed.

 · TSCA (Toxic Substances Control Act)

All components have the value ACTIVE.

 · Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

Prop 65 - Chemicals known to cause cancer

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males

None of the ingredients is listed.

Chemicals known to cause developmental toxicity

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)
acetone

· TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present state of information. They shall, however, not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

All standard industrial precautions apply, concerning protection of health, and safe handling. The recommendations have to be examined in the context of the application for which the product is intended, and observed as necessary.

Date of preparation / last revision 03/05/2020 / -

Printing date 03/05/2020

Version number 1

Reviewed on 03/05/2020

Trade name: Jowapur 150.95

(Contd. of page 8)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Sens. 1: Skin sensitisation - Category 1

^{*} Data in paragraphs with asterisk are revised in comparison to the previous version.